

UK Patent Application

(19) GB

(11) 2 213 464 A

(43) Date of A publication 16.08.1989

(21) Application No 8728767.8

(22) Date of filing 09.12.1987

(71) Applicant
Joan Patricia Finch
5 Glanmire, Billericay, Essex, CM11 1DU,
United Kingdom

(72) Inventor
Joan Patricia Finch

(74) Agent and/or Address for Service
Destech (U.K.) Ltd
Design Engineering Centre, 10 Sun Street,
Waltham Abbey, Essex, EN9 1EE, United Kingdom

(51) INT CL¹
B65D 81/02 30/08 30/22

(52) UK CL (Edition J)
B8K KAA KWC K2G5 K2K1 K2K2 K2L K2M
U1S S1808


(56) Documents cited
GB 2201394 A GB 2184421 A GB 1393091 A
GB 1391376 A GB 1374257 A WO 85/01272 A1

(58) Field of search
UK CL (Edition J) B8K KAA KWC KWX, B8P PE2D
INT CL¹ B65D

(54) Protective carrying arrangement for bottles

(57) A compartmentalized carrying bag for wine bottles is constructed with the use of a material of plastic sheet which embodies bubbles of air distributed over its area (i.e. bubble pack) to form bottle shaped receptacles and when constructed forms a carrying bag which protects the inserted bottles from damage.

The assembly can be used as an insert for a bag, or the bubble pack material can be formed with an additional outer sheet.




PROTECTIVE CARRIER

2213464

STATEMENT OF NOVELTY
THE INTEGRATION OF A
SOCKET SHAFTED CIVIL NEEDLE
CONTAINED WITHIN AN
OUTER COVER

PROTECTIVE MARKER



PROTECTIVE BOTTLE CARRYING ARRANGEMENT

This invention relates to a protective carrying arrangement for bottles.

Bottles of wine or the like are commonly carried away from a sales outlet in a simple carrier bag. There
5 is a risk of breakage, either from bottles in the same bag knocking against each other or against objects such as a wall or the ground. Various carrier bags have been proposed, formed from plain sheet material and provided with separate pockets for the individual bottles, but these bags do not
10 significantly reduce the risk of breakage.

I have now devised a protective carrying arrangement for bottles, which overcomes the above drawbacks of those hitherto.

In accordance with this invention, there is provided
15 a protecting carrying arrangement for bottles, which includes a plurality of pockets for receiving individual bottles and which is formed of sheet cushioning material.

A preferred sheet cushioning material is bubble pack, i.e. plastics sheet which incorporates bubbles of air distributed over its area.
20

The arrangement or structure may comprise two superimposed portions of sheet material which are welded or otherwise secured together along predetermined lines to define the pockets for the individual bottles. As one example,
25 the structure may comprise two separate, superimposed pieces

of sheet material welded together along three edges to form two sides and a bottom, and along a line or lines running from the bottom to the top to form the required number of pockets. As another example, the structure may comprise

5 a single piece of the sheet material folded in half to form two sides and the bottom, then welded along the opposite edges and a line or lines running from the bottom to the top to form the pockets.

The structure may be formed from bubble pack material with its bubble-side facing inwardly of the pockets. This bubble-side exhibits greater friction than the smooth, non-bubble side, with the effect of restraining bottles from sliding out of their pockets. However if in certain cases the greater friction would make it difficult to insert the 15 intended bottles into their pockets, then the structure may be formed with the smooth side of the bubble-pack facing inwardly.

Preferably the structure presents a smooth outer surface, which may carry printing or the like. The structure 20 may be formed or provided with a handle or pair of handles so that it forms a unitary carrier bag. Alternatively, it may form a cushioning insert for reception within a carrier bag of conventional materials and construction.

An embodiment of this invention will now be described by way of example only and with reference to the accompanying drawing, the single figure of which is a perspective view of one form of protective bottle carrying structure 25 in accordance with the invention.

Referring to the drawings, there is shown a protective carrying arrangement for bottles which is formed 30 from sheet cushioning material and specifically bubble-pack, i.e. plastics sheet incorporating air bubbles distributed over its area and projecting from one side whilst the other side is smooth.

35 In the example shown, the carrying arrangement or

structure comprises two portions of bubble pack 10, 12 superimposed over each other and welded together over vertical lines to define four pockets 14 for receiving bottles in upright position. The portions 10, 12 of bubble pack
5 may be disposed with the bubble side facing inwardly or outwardly according to the intended application. The structure further comprises an outer member 16 of bubble pack formed into a bag receiving the inner member 10, 12. The outer member may comprise a single piece of bubble pack
10 folded in half to form the opposite sides and bottom of the bag and welded together along the opposite edges. Preferably the bubble pack of the outer member is disposed with its smooth side facing outwardly, which side may bear printing or the like.

15 The structure may be provided with handles so that it forms a complete carrying unit. Instead, it may form an insert for reception within a carrier bag of conventional materials and construction.

20 It will be appreciated that the cushioning effect of the bubble pack alleviates the risk of breakage of the bottles, either from bottles knocking against each other or against external objects.

CLAIM :

The claim protects the manufacture of a compartmentalized bottle carrying bag with its construction utilising a bubble pack material (i.e. plastic sheet which incorporates bubbles of air distributed over it's area) either as a integral item of construction of the carrying bag or the bubble pack material being assembled between plastic sheet material to protect the bottles from sustaining damage either by impact from an external source or by impact between the bottles.